

091-47



THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE PROCEEDINGS-F

Communications, Radar and Signal Processing

Vol. 131, 1984

4

U.I.C.
DEC 11 1984
LIBRARY



HONORARY EDITORS

A.P. Hulbert (*Plessey Research—Roke Manor*)Dr. J. Clarke (*RSRE—Malvern*)Dr. P.M. Grant (*University of Edinburgh*)

Pages in issues of *IEE Proceedings Part F*, 1984

Pages	Issue no.	Date
1-100	1	February
101-240	2	April
241-340	3	June
341-424	4	July
425-560	5	August
561-668	6	October
669-768	7	December

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of \$2.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143-7070/84 \$2.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871

The IEE is not as a body responsible for the opinions expressed by individual authors.

The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1984: The Institution of Electrical Engineers:

Secretary of the IEE: H.H.W. Losty

Managing Editor: Bernard Dunkley; Assistant Editor: Steve Barrett

Graphics Manager: Maurice Partridge; Marketing Manager: Alan Baldwin

Typeset by: Santype International Ltd., Salisbury, Wilts.

Printed in England by: Unwin Brothers Ltd., Old Woking, Surrey

IEEE Proceedings Part F
Communications, Radar and Signal Processing
Vol. 131, 1984

Author index

A

- Abuelma'atti, M.T. Baseband video distortion in memoryless nonlinear bandpass amplifiers (Summary) p240
 Aghvami, A.H. Performance analysis of 16-ary QAM signalling through two-link nonlinear channels in additive Gaussian noise p403
 Allnutt, J.E., and Rogers, D.V. see Rogers, D.V.
 Arambepola, B. Two-dimensional discrete convolution algorithm p553
 Armstrong, B.A., and McMahon, G.W. Discussion of the finite-element modelling and performance of ring-shell projectors p275
 Ash, C.P. Digital implementation of a narrowband satellite receiver p570
 Ayoub, F., and Singh, K. Cryptographic techniques and network security p684

B

- Barton, P., Ward, J.S., Roberts, J.B.G., and Stanier, B.J. see Ward, J.S.
 Bateman, A.J., and McGeehan, J.P. Data transmission over UHF fading mobile radio channels p364 d767
 Bertero, M., Pike, E.R., McWhirter, J.G., and Mol, C.de see Pike, E.R.
 Bienvenu, G., and Guillec, B. LSI circuits for adaptive array processing in passive sonar p577
 Bird, J.S., and Bridgewater, A.W. Performance of space-based radar in the presence of earth clutter p491
 Blake, I.F., and Mark, J.W. see Mark, J.W.
 Borge, R. Minimum bandwidth signals with various combinations of specified waveform parameters p345
 Brajović, V.P. Bit synchronisation based on the sensitivity function p424
 Bridgewater, A.W., and Bird, J.S. see Bird, J.S.
 Buckingham, M.J. On the response of a towed array to the acoustic field in shallow water p298
 Buxton, B.F., Buxton, H., and Stephenson, B.K. Parallel computations of optic flow in early image processing p593
 Buxton, H., Buxton, B.F., and Stephenson, B.K. see Buxton, B.F.

C

- Canas, A.A.D. Electronic hardware implementation of the principal components transformation for multichannel image data p761
 Cham, W.K., and Clarke, R.J. DC coefficient restoration in transform image coding p709
 Clark, A.P., Zhu, Z.C., and Joshi, J.K. Fast start-up channel estimation p375
 Clark, A.P., and Clayden, M. Pseudobinary Viterbi detector p208
 Clark, A.P., and Hau, S.F. Adaptive adjustment of receiver for distorted digital signals p526
 Clarke, R.J. Hybrid intraframe transform coding of image data p2
 Clarke, R.J., and Cham, W.K. see Cham, W.K.
 Clayden, M., and Clark, A.P. see Clark, A.P.
 Cochran, P. Future trends in telecommunications transmission—a personal view p669
 Comley, V.E., and Ormondroyd, R.F. see Ormondroyd, R.F.
 Constantinides, A.G., Curtis, T.E., and Wickenden, J.T. see Curtis, T.E.
 Constantinides, A.G., Wu, Y.S., Curtis, T.E., and Wu, L.J. see Wu, Y.S.
 Constantinides, A.G., and Mitrakos, D.K. see Mitrakos, D.K.
 Constantinides, A.G., and Siu, W.-C. see Siu, W.-C.
 Creasey, D., and Smith, B. Sonar (Editorial) p241
 Cross, J.F., Roberts, J.B.G., Simpson, P., and Merrifield, B.C. see Roberts, J.B.G.
 Curtis, T.E., Wickenden, J.T., and Constantinides, A.G. Control ordered sonar hardware (COSH)—a hardware based signal processing graph implementation p584
 Curtis, T.E., Wu, Y.S., Constantinides, A.G., and Wu, L.J. see Wu, Y.S.
 Cusdin, M.J., Gough, P.T., and de Roos, A. see Gough, P.T.

D

- Dalle Mese, E., and Giuli, D. Detection probability of a partially fluctuating target p179
 Dass, B.K., and Krishnamurthy, J. Linear unequal error locating codes (UEL codes) p52
 Dattatreya, G.R., and Sarma, V.V.S. Decision tree design and applications in speech processing p146
 Davies, P.A., Shaar, A.A., and Woodcock, C.F. see Shaar, A.A.
 Davies, P.A., and Shaar, A.A. see Shaar, A.A.
 de Roos, A., Gough, P.T., and Cusdin, M.J. see Gough, P.T.
 Denbigh, P.N. Ship velocity determination by Doppler and correlation techniques p315
 Denyer, P.B., Reekie, H.M., Petrie, P., Mavor, J., and Lau, C.H. see Reekie, H.M.
 Dix, J.F., and Palmer, R.F. Study of the relative sonar performance of incoherent and coherent processing against echo fading in shallow water p308
 Drajić, D., and Vučetić, B. Evaluation of hybrid error control systems p183

E

- Egau, P.C. Correlation systems in radio astronomy and related fields p32
 Egau, P.C. Error patterns in correlators with four-level quantisation p40 e239
 Ekanayake, N. M-ary continuous phase frequency shift keying with modulation index $1/M$ p173 e694

F

- Farina, A., and Studer, F.A. Application of Gram-Schmidt algorithm to optimum radar signal processing p139
 Farrier, D.R. Extension of maximum entropy spectral analysis. Part 1: The inclusion of prior information p15
 Farrier, D.R. Extension of maximum entropy spectral analysis. Part 2: Interpretation and application of the method p25
 Farrier, D.R. Relationship between the maximum entropy method and a likelihood ratio test p714
 Forse, N.J.A., and See, P.J. see See, P.J.
 Frangoulis, E.D., Yoshida, K., and Turner, L.F. Adaptive differential pulse-code modulation with adaptive bit allocation p542
 Fudge, R.E. An analysis of quasi-synchronous AM mobile radio operation and recommended design parameter values p156
 Fujino, T., Umeda, Y., and Yamazaki, E. Transient probability response of cycle slip occurrence in the PSK-TDMA carrier recovery p729

G

- Gardner, F., and Roberts, J.H. see Roberts, J.H.
 Gazey, B.K., and Smith, B.V. see Smith, B.V.
 Georganas, N.D., and McDonnell, M. see McDonnell, M.
 Giuli, D., and Dalle Mese, E. see Dalle Mese, E.
 Gough, P.T., de Roos, A., and Cusdin, M.J. Continuous transmission FM sonar with one octave bandwidth and no blind time p270
 Grant, P.M., and Rutter, M.J. Application of gradient adaptive lattice filters to channel equalisation p473
 Guillec, B., and Bienvenu, G. see Bienvenu, G.
 Gull, S.F., and Skilling, J. Maximum entropy method in image processing p646
 Guy, J.R.F., and Poelman, A.J. see Poelman, A.J.

H

- Hagisawa, T., Sekine, M., Musha, T., Tomita, Y., Irabu, T., and Kiuchi, E. see Sekine, M.
 Hargrave, P.J., Ward, C.R., Robson, A.J., and McWhirter, J.G. see Ward, C.R.
 Hau, S.F., and Clark, A.P. see Clark, A.P.
 Hodgkiss, W., Turner, L.F., and Pennington, J. Serial data transmission over HF radio links p107

- p paper, address or lecture
 d discussion on a paper
 a abstract of paper or address
 e errata
 s synopsis of a paper published in full in another Part of the IEEE Proceedings

- Holbeche, R.J., and Mannings, R.T. Comparison between time-compression multiplexing and frequency-division multiplexing over narrowband radio systems p130
 Holmes, J.N., and Quarmby, D.J. see Quarmby, D.J.
 Hrvatin, S.E., and Mark, J.W. Predictive entropy coding for speech analysis p537

I

- Ingram, D.G.W., and Takawira, F. see Takawira, F.
 Irabu, T., Sekine, M., Musha, T., Tomita, Y., Hagisawa, T., and Kiuchi, E. see Sekine, M.
 Ishida, N., Iso, A., and Izumisawa, T. see Iso, A.
 Iso, A., Izumisawa, T., and Ishida, N. Advanced domestic digital satellite communications systems experiments p92
 Izumisawa, T., Iso, A., and Ishida, N. see Iso, A.

J

- Jennings, S.M. Autocorrelation function of the multiplexed sequence p169
 Johnson, D.A.H., and Silver, D.M. see Silver, D.M.
 Johnston, J.A. Generating analogue FM pulses using a 1 bit digital technique p349
 Johnston, S.L. Effectiveness of a ground jammer d423
 Joshi, J.K., Clark, A.P., and Zhu, Z.C. see Clark, A.P.

K

- Kazovsky, L.G. Performance of M-ary feedback communication systems p80
 Kiuchi, E., Sekine, M., Musha, T., Tomita, Y., Hagisawa, T., and Irabu, T. see Sekine, M.
 Korn, I. Analogue adaptive hybrid for digital transmission on subscriber lines p517
 Korn, I. Error probability of QASK with rectangular and circular symbol constellations in the presence of intersymbol quadrature channel and adjacent channel interference p194
 Kowatsch, M. Application of surface-acoustic-wave technology to burst-format spread-spectrum communications p734
 Krishnamurthy, J., and Dass, B.K. see Dass, B.K.

L

- Lau, C.H., Reekie, H.M., Petrie, P., Mavor, J., and Denyer, P.B. see Reekie, H.M.
 Lesz, T., and Olcayto, E. see Olcayto, E.
 Lewis, P. Investigation of a radar site effect p695
 Lockwood, M. Simplified estimation of ray-path mirroring height for HF radiowaves reflected from the ionospheric F-region p117

M

- Majithia, J.C., Yu, W., and Wong, J.W. see Yu, W.
 Mannings, R.T., and Holbeche, R.J. see Holbeche, R.J.
 Mark, J.W., and Blake, I.F. Rapid acquisition techniques in CDMA spread-spectrum systems p223
 Mark, J.W., and Hrvatin, S.E. see Hrvatin, S.E.
 Mavor, J., Reekie, H.M., Petrie, P., Denyer, P.B., and Lau, C.H. see Reekie, H.M.
 McCann, J.V., McWhirter, J.G., and Wood, K. Optimised bit level systolic array for convolution p632
 McDonnell, M., and Georganas, N.D. Combined mobile telephone and dispatch services in a cellular land-mobile radio system p357
 McGeehan, J.P., and Bateman, A.J. see Bateman, A.J.
 McGeehan, J.P., and Sladen, J.P.H. The performance of combined feedforward AGC and phase-locked AFC in a single sideband mobile radio receiver p437
 McMahon, G.W., and Armstrong, B.A. see Armstrong, B.A.
 McWhirter, J.G., McCann, J.V., and Wood, K. see McCann, J.V.
 McWhirter, J.G., Pike, E.R., Bertero, M., and Mol, C.de see Pike, E.R.

McWhirter, J.G., Ward, C.R., Robson, A.J., and Hargrave, P.J. see Ward, C.R.
 Merrifield, B.C., Roberts, J.B.G., Simpson, P., and Cross, J.F. see Roberts, J.B.G.
 Milner, J.G. Radar mortar locator development in the UK: the first 30 years p233
 Milutinović, V. Performance comparison of two suboptimum detection procedures in real environment p341
 Mitrakos, D.K., and Constantinides, A.G. Graph-theoretic approach to composite-source-model estimation for image coding p71
 Mitson, R.B. Review of high-speed sector-scanning sonar and its application to fisheries research p257
 Mol, C.de, Pike, E.R., McWhirter, J.G., and Bertero, M. see Pike, E.R.
 Morris, R. Some practical considerations in the design of sandwich transducers and their arrays p280
 Musha, T., Sekine, M., Tomita, Y., Hagisawa, T., Irabu, T., and Kiuchi, E. see Sekine, M.

N

Nengging, L. Formulas for measuring radar ECCM capability p417

O

Ohm, G. 14/11 GHz, 120 Mbit/s regenerative satellite transponder p442
 Olcayto, E., and Lesz, T. Simple cyclic codes for burst errors p153
 Old, J.C. Multiple open-loop interference canceller for a rotating search radar p203
 Ormondroyd, R.F., and Comley, V.E. Limits on the search rate of a pseudonoise sliding correlator synchroniser due to self-noise and decorrelation p742

P

Palmer, R.F., and Dix, J.F. see Dix, J.F.
 Pearson, D.E., and Whybray, M.W. Transform coding of images using interleaved blocks p466
 Pennington, J., Hodgkiss, W., and Turner, L.F. see Hodgkiss, W.
 Petrie, P., Reekie, H.M., Mavor, J., Denyer, P.B., and Lau, C.H. see Reekie, H.M.
 Pike, E.R., McWhirter, J.G., Bertero, M., and Mol, C.de Generalised information theory for inverse problems in signal processing p660
 Poelman, A.J., and Guy, J.R.F. Multinotch logic-product polarisation suppression filters. A typical design example and its performance in a rain clutter environment p383
 Poelman, A.J., and Guy, J.R.F. Nonlinear polarisation-vector translation in radar systems. A promising concept for real-time polarisation-vector signal processing via a single-notch polarisation suppression filter p451

Q

Quarmby, D.J., and Holmes, J.N. Implementation of a parallel-formant speech synthesiser using a single-chip programmable signal processor p563

R

Ramachandra, K.V. Position, velocity and acceleration estimates from the noisy radar measurements p167
 Raveendra, K.R., and Srinivasan, R. Threshold detection of CPFSK in non-Gaussian noise p397
 Ray, S.K. Zero-crossing-based approximate demodulation of wide-deviation FM p47

Reed, I.S., and Truong, T.K. New syndrome decoding techniques for the (n, k) convolutional codes p412
 Reekie, H.M., Petrie, P., Mavor, J., Denyer, P.B., and Lau, C.H. Design and implementation of digital wave filters using universal adaptor structures p615
 Riris, A. New direct regenerator for 16-ary QAM signalling p407
 Riris, A. QPSK-direct-phase regenerator with imperfect reference carrier p15
 Roberts, J.B.G. Design and application of digital signal processors (Editorial) p561
 Roberts, J.B.G., Simpson, P., Merrifield, B.C., and Cross, J.F. Signal processing applications of a distributed array processor p603
 Roberts, J.B.G., Ward, J.S., Barton, P., and Stanier, B.J. see Ward, J.S.
 Roberts, J.H., and Gardner, F. Data transmission over UHF fading mobile radio channels d767
 Robson, A.J., Ward, C.R., Hargrave, P.J., and McWhirter, J.G. see Ward, C.R.
 Roefs, H.F.A., and van Mierlo, G.W.M. see van Mierlo, G.W.M.
 Rogers, D.V., and Allnutt, J.E. Evaluation of a site diversity model for satellite communications systems p501
 Rutter, M.J., and Grant, P.M. see Grant, P.M.

S

Sarma, V.V.S., and Dattatreya, G.R. see Dattatreya, G.R.
 Sarwate, D.V. Mean-square correlation of shift-register sequences p101
 See, P.J., and Forse, N.J.A. Measurement of signal to quantising-noise ratio in ADPCM systems and its implications for echo cancellation p219
 Sekine, M., Musha, T., Tomita, Y., Hagisawa, T., Irabu, T., and Kiuchi, E. Weibull-distributed weather clutter in the frequency domain p549
 Shaar, A.A., Woodcock, C.F., and Davies, P.A. Number of one-coincidence sequence sets for frequency-hopping multiple access communication systems p725
 Shaar, A.A., and Davies, P.A. A survey of one-coincidence sequences for frequency-hopped spread-spectrum systems p719
 Silver, D.M., and Johnson, D.A.H. Facsimile coding using symbol-matching techniques p125
 Simpson, P., Roberts, J.B.G., Merrifield, B.C., and Cross, J.F. see Roberts, J.B.G.
 Singh, K., and Ayoub, F. see Ayoub, F.
 Siu, W.-C., and Constantinides, A.G. On the computation of discrete Fourier transform using Fermat number transform p7
 Skaug, R. Experiment with spread spectrum modulation on an HF channel p87
 Skilling, J., and Gull, S.F. see Gull, S.F.
 Sladen, J.P.H., and McGeehan, J.P. see McGeehan, J.P.
 Smith, B., and Creasey, D. see Creasey, D.
 Smith, B.V., and Gazey, B.K. High-frequency sonar transducers: a review of current practice p285
 Somers, M.L., and Stubbs, A.R. Sidescan sonar p243
 Srinivasan, R., and Raveendra, K.R. see Raveendra, K.R.
 Stanier, B.J., Ward, J.S., Barton, P., and Roberts, J.B.G. see Ward, J.S.
 Stephenson, B.K., Buxton, B.F., and Buxton, H. see Buxton, B.F.
 Stubbs, A.R., and Somers, M.L. see Somers, M.L.
 Studer, F.A., and Farina, A. see Farina, A.
 Sundberg, C.E., and Svensson, A. see Svensson, A.
 Svensson, A., and Sundberg, C.E. Optimum MSK-type receivers for CPM on Gaussian and Rayleigh fading channels p480

T

Takawira, F., and Ingram, D.G.W. Derivation of impulse responses under minimum phase constraints p425

Taylor, R. Signal processing with occam and the transputer p610
 Tomita, Y., Sekine, M., Musha, T., Hagisawa, T., Irabu, T., and Kiuchi, E. see Sekine, M.
 Truong, T.K., and Reed, I.S. see Reed, I.S.
 Turner, L.F., Frangoulis, E.D., and Yoshida, K. see Frangoulis, E.D.
 Turner, L.F., Hodgkiss, W., and Pennington, J. see Hodgkiss, W.

U

Umeda, Y., Fujino, T., and Yamazaki, E. see Fujino, T.
 Urquhart, R.B., and Wood, D. Systolic matrix and vector multiplication methods for signal processing p623

V

van Mierlo, G.W.M., and Roefs, H.F.A. Relative performance of a simple MTI canceller selection rule p433
 Vučetić, B., and Drajić, D. see Drajić, D.

W

Wadham, D.W. Modular design of sonar systems using functional units built from a standard set of VLSI building blocks p334
 Ward, C.R., Robson, A.J., Hargrave, P.J., and McWhirter, J.G. Application of a systolic array to adaptive beamforming p638
 Ward, J.S., Barton, P., Roberts, J.B.G., and Stanier, B.J. Figures of merit for VLSI implementations of digital signal processing algorithms p64
 Whybrey, M.W., and Pearson, D.E. see Pearson, D.E.
 Wickenden, J.T., Curtis, T.E., and Constantinides, A.G. see Curtis, T.E.
 Williams, P.D.L. Inexpensive multipurpose airborne surveillance radar p507
 Wong, J.W., Yu, W., and Majithia, J.C. see Yu, W.
 Wood, D., and Urquhart, R.B. see Urquhart, R.B.
 Wood, K., McCanny, J.V., and McWhirter, J.G. see McCanny, J.V.
 Woodcock, C.F., Shaar, A.A., and Davies, P.A. see Shaar, A.A.
 Wu, L.J., Wu, Y.S., Constantinides, A.G., and Curtis, T.E. see Wu, Y.S.
 Wu, Y.S., Constantinides, A.G., Curtis, T.E., and Wu, L.J. Architectural approach to alternate low-level primitive structures (ALPS) for acoustic signal processing p327

X

Xydeas, C.S., and Yeoh, F.S. see Yeoh, F.S.

Y

Yamazaki, E., Fujino, T., and Umeda, Y. see Fujino, T.
 Yeoh, F.S., and Xydeas, C.S. Transform approach to split-band coding schemes p57
 Yoshida, K., Frangoulis, E.D., and Turner, L.F. see Frangoulis, E.D.
 Yu, W., Majithia, J.C., and Wong, J.W. Distributed routing algorithm for a circuit/packet switching network p751

Z

Zhu, Z.C., Clark, A.P., and Joshi, J.K. see Clark, A.P.

ACOUSTICS

- High-frequency sonar transducers: a review of current practice. B.V. Smith and B.K. Gazey p285
 Ship velocity determination by Doppler and correlation techniques. P.N. Denbigh p315
 Sonar (Editorial). D. Creasey and B. Smith p241

ALGORITHMS

- Application of Gram-Schmidt algorithm to optimum radar signal processing. A. Farina and F.A. Studer p139
 Architectural approach to alternate low-level primitive structures (ALPS) for acoustic signal processing. Y.S. Wu, A.G. Constantinides, T.E. Curtis and L.J. Wu p327
 Distributed routing algorithm for a circuit/packet switching network. W. Yu, J.C. Majithia and J.W. Wong p751
 Figures of merit for VLSI implementations of digital signal processing algorithms. J.S. Ward, P. Barton, J.B.G. Roberts and B.J. Stanier p64
 New syndrome decoding techniques for the (n, k) convolutional codes. I.S. Reed and T.K. Truong p412
 Signal processing with occam and the transputer. R. Taylor p610
 Two-dimensional discrete convolution algorithm. B. Arambepola p553

ANALOGUE-DIGITAL CONVERSION

- Generating analogue FM pulses using a 1 bit digital technique. J.A. Johnston p349

ANTENNAS

- Advanced domestic digital satellite communications systems experiments. A. Iso, T. Izumisawa and N. Ishida p92
 Application of a systolic array to adaptive beamforming. C.R. Ward, A.J. Robson, P.J. Hargrave and J.G. McWhirter p638
 Multinotch logic-product polarisation suppression filters. A typical design example and its performance in a rain clutter environment. A.J. Poelman and J.R.F. Guy p383

AVIONICS

- Inexpensive multipurpose airborne surveillance radar. P.D.L. Williams p507

CIRCUIT THEORY AND DESIGN

- Design and implementation of digital wave filters using universal adaptor structures. H.M. Reekie, P. Petrie, J. Mavor, P.B. Denyer and C.H. Lau p615

CODES AND CODING

- Adaptive differential pulse-code modulation with adaptive bit allocation. E.D. Frangoulis, K. Yoshida and L.F. Turner p542
 Autocorrelation function of the multiplexed sequence. S.M. Jennings p169
 Cryptographic techniques and network security. F. Ayoub and K. Singh p684
 DC coefficient restoration in transform image coding. W.K. Cham and R.J. Clarke p709
 Evaluation of hybrid error control systems. D. Drajić and B. Vučetić p183
 Facsimile coding using symbol-matching techniques. D.M. Silver and D.A.H. Johnson p125
 Hybrid intraframe transform coding of image data. R.J. Clarke p2
 Limits on the search rate of a pseudonoise sliding correlator synchroniser due to self-noise and decorrelation. R.F. Ormondroyd and V.E. Comley p742
 Linear unequal error locating codes (UEL codes). B.K. Dass and J. Krishnamurthy p52
 Mean-square correlation of shift-register sequences. D.V. Sarwate p101
 New syndrome decoding techniques for the (n, k) convolutional codes. I.S. Reed and T.K. Truong p412
 Predictive entropy coding for speech analysis. S.E. Hrvatin and J.W. Mark p537
 Simple cyclic codes for burst errors. E. Olcayto and T. Lesz p153
 Transform approach to split-band coding schemes. F.S. Yeoh and C.S. Xydeas p57

COMPUTER APPLICATIONS

- Cryptographic techniques and network security. F. Ayoub and K. Singh p684
 Signal processing with occam and the transputer. R. Taylor p610

COMPUTER SIMULATION

- Architectural approach to alternate low-level primitive structures (ALPS) for acoustic signal processing. Y.S. Wu, A.G. Constantinides, T.E. Curtis and L.J. Wu p327
 The performance of combined feedforward AGC and phase-locked AFC in a single sideband mobile radio receiver. J.P. McGeehan and J.P.H. Sladen p437

DELAY LINES

- Study of the relative sonar performance of incoherent and coherent processing against echo fading in shallow water. J.F. Dix and R.F. Palmer p308

DEMODULATION

- 14/11 GHz, 120 Mbit/s regenerative satellite transponder. G. Ohm p442

DETECTION

- Adaptive adjustment of receiver for distorted digital signals. A.P. Clark and S.F. Hau p526
 Detection probability of a partially fluctuating target. E. Dalle Mese and D. Giulì p179
 Fast start-up channel estimation. A.P. Clark, Z.C. Zhu and J.K. Joshi p375
 M-ary continuous phase frequency shift keying with modulation index $1/M$. N. Ekanayake p173 e694
 Nonlinear polarisation-vector translation in radar systems. A promising concept for real-time polarisation-vector signal processing via a single-notch polarisation suppression filter. A.J. Poelman and J.R.F. Guy p451

DIGITAL CIRCUITS

- Design and implementation of digital wave filters using universal adaptor structures. H.M. Reekie, P. Petrie, J. Mavor, P.B. Denyer and C.H. Lau p615

DIGITAL COMMUNICATION SYSTEMS

- Adaptive adjustment of receiver for distorted digital signals. A.P. Clark and S.F. Hau p526
 Analogue adaptive hybrid for digital transmission on subscriber lines. I. Korn p517
 Application of surface-acoustic-wave technology to burst-format spread-spectrum communications. M. Kowatsch p734
 Cryptographic techniques and network security. F. Ayoub and K. Singh p684
 Data transmission over UHF fading mobile radio channels. A.J. Bateman and J.P. McGeehan p364 d767
 Derivation of impulse responses under minimum phase constraints. F. Takawira and D.G.W. Ingram p425
 New direct regenerator for 16-ary QAM signalling. A. Riris p407
 Performance analysis of 16-ary QAM signalling through two-link nonlinear channels in additive Gaussian noise. A.H. Aghvami p403
 Signal processing with occam and the transputer. R. Taylor p610

ERRORS AND ERROR ANALYSIS

- Performance of M-ary feedback communication systems. L.G. Kazovsky p80
 Predictive entropy coding for speech analysis. S.E. Hrvatin and J.W. Mark p537
 Relative performance of a simple MTI canceller selection rule. G.W.M. van Mierlo and H.F.A. Roefs p433
 Simple cyclic codes for burst errors. E. Olcayto and T. Lesz p153

FEEDBACK

- Performance of M-ary feedback communication systems. L.G. Kazovsky p80

FILTERS AND FILTERING

- Application of gradient adaptive lattice filters to channel equalisation. P.M. Grant and M.J. Rutter p473
 Application of surface-acoustic-wave technology to burst-format spread-spectrum communications. M. Kowatsch p734
 Design and implementation of digital wave filters using universal adaptor structures. H.M. Reekie, P. Petrie, J. Mavor, P.B. Denyer and C.H. Lau p615
 Multinotch logic-product polarisation suppression filters. A typical design example and its performance in a rain clutter environment. A.J. Poelman and J.R.F. Guy p383
 Optimum MSK-type receivers for CPM on Gaussian and Rayleigh fading channels. A. Svensson and C.E. Sundberg p480
 Position, velocity and acceleration estimates from the noisy radar measurements. K.V. Ramachandra p167

IMAGE PROCESSING

- DC coefficient restoration in transform image coding. W.K. Cham and R.J. Clarke p709
 Electronic hardware implementation of the principal components transformation for multichannel image data. A.A.D. Canas p761
 Graph-theoretic approach to composite-source-model estimation for image coding. D.K. Mitrakas and A.G. Constantinides p71
 Maximum entropy method in image processing. S.F. Gull and J. Skilling p646
 Parallel computations of optic flow in early image processing. B.F. Buxton, H. Buxton and B.K. Stephenson p593
 Review of high-speed sector-scanning sonar and its application to fisheries research. R.B. Mitson p257
 Sidescan sonar. M.L. Somers and A.R. Stubbs p243
 Transform coding of images using interleaved blocks. D.E. Pearson and M.W. Whybray p466

INFORMATION AND COMMUNICATION THEORY

- Limits on the search rate of a pseudonoise sliding correlator synchroniser due to self-noise and decorrelation. R.F. Ormondroyd and V.E. Comley p742

IONOSPHERIC PROPAGATION

- Serial data transmission over HF radio links. W. Hodgkiss, L.F. Turner and J. Pennington p107
 Simplified estimation of ray-path mirroring height for HF radiowaves reflected from the ionospheric F-region. M. Lockwood p117

MATHEMATICAL TECHNIQUES

- A survey of one-coincidence sequences for frequency-hopped spread-spectrum systems. A.A. Shaar and P.A. Davies p719
 Discussion of the finite-element modelling and performance of ring-shell projectors. B.A. Armstrong and G.W. McMahon p275
 Number of one-coincidence sequence sets for frequency-hopping multiple access communication systems. A.A. Shaar, C.F. Woodcock and P.A. Davies p725

MODULATION

- 14/11 GHz, 120 Mbit/s regenerative satellite transponder. G. Ohm p442
 Adaptive differential pulse-code modulation with adaptive bit allocation. E.D. Frangoulis, K. Yoshida and L.F. Turner p542
 Data transmission over UHF fading mobile radio channels. A.J. Bateman and J.P. McGeehan p364 d767
 M-ary continuous phase frequency shift keying with modulation index $1/M$. N. Ekanayake p173 e694
 Serial data transmission over HF radio links. W. Hodgkiss, L.F. Turner and J. Pennington p107
 Zero-crossing-based approximate demodulation of wide-deviation FM. S.K. Ray p47

NETWORKS

- Architectural approach to alternate low-level primitive structures (ALPS) for acoustic signal processing. Y.S. Wu, A.G. Constantinides, T.E. Curtis and L.J. Wu p327
- Control ordered sonar hardware (COSH)—a hardware based signal processing graph implementation. T.E. Curtis, J.T. Wickenden and A.G. Constantinides p584
- Distributed routing algorithm for a circuit/packet switching network. W. Yu, J.C. Majithia and J.W. Wong p751

NOISE AND INTERFERENCE

- Adaptive adjustment of receiver for distorted digital signals. A.P. Clark and S.F. Hau p526
- Fast start-up channel estimation. A.P. Clark, Z.C. Zhu and J.K. Joshi p375
- Position, velocity and acceleration estimates from the noisy radar measurements. K.V. Ramachandra p167
- QPSK-direct-phase regenerator with imperfect reference carrier. A. Riris p15
- Threshold detection of CPFSK in non-Gaussian noise. K.R. Raveendra and R. Srinivasan p397

OPTIMISATION

- Application of Gram-Schmidt algorithm to optimum radar signal processing. A. Farina and F.A. Studer p139

PHASING AND PHASE CONTROL

- QPSK-direct-phase regenerator with imperfect reference carrier. A. Riris p15

PULSE-CODE MODULATION

- Adaptive differential pulse-code modulation with adaptive bit allocation. E.D. Frangoulis, K. Yoshida and L.F. Turner p542

RADAR AND RADIONAVIGATION

- Application of Gram-Schmidt algorithm to optimum radar signal processing. A. Farina and F.A. Studer p139
- Formulas for measuring radar ECCM capability. L. Nenging p417
- Generating analogue FM pulses using a 1 bit digital technique. J.A. Johnston p349
- Inexpensive multipurpose airborne surveillance radar. P.D.L. Williams p507
- Investigation of a radar site effect. P. Lewis p695
- Multiple open-loop interference canceller for a rotating search radar. J.C. Old p203
- Nonlinear polarisation-vector translation in radar systems. A promising concept for real-time polarisation-vector signal processing via a single-notch polarisation suppression filter. A.J. Poelman and J.R.F. Guy p451
- Performance of space-based radar in the presence of earth clutter. J.S. Bird and A.W. Bridgewater p491
- Position, velocity and acceleration estimates from the noisy radar measurements. K.V. Ramachandra p167
- Radar mortar locator development in the UK: the first 30 years. J.G. Milner p233
- Relative performance of a simple MTI canceller selection rule. G.W.M. van Mierlo and H.F.A. Roefs p433
- Weibull-distributed weather clutter in the frequency domain. M. Sekine, T. Musha, Y. Tomita, T. Hagiwara, T. Irabu and E. Kiuchi p549

RADIO-WAVE PROPAGATION (incl. Ionospheric and Tropospheric)

- Evaluation of a site diversity model for satellite communications systems. D.V. Rogers and J.E. Allnutt p501
- Experiment with spread spectrum modulation on an HF channel. R. Skaug p87
- Serial data transmission over HF radio links. W. Hodgkiss, L.F. Turner and J. Pennington p107
- Simplified estimation of ray-path mirroring height for HF radiowaves reflected from the ionospheric F-region. M. Lockwood p117

RADIOCOMMUNICATION

- An analysis of quasi-synchronous AM mobile radio operation and recommended design parameter values. R.E. Fudge p156
- Combined mobile telephone and dispatch services in a cellular land-mobile radio system. M. McDonnell and N.D. Georganas p357
- Comparison between time-compression multiplexing and frequency-division multiplexing over narrowband radio systems. R.J. Holbeche and R.T. Mannings p130
- Data transmission over UHF fading mobile radio channels. A.J. Bateman and J.P. McGeehan p364 d767
- On the response of a towed array to the acoustic field in shallow water. M.J. Buckingham p298
- The performance of combined feedforward AGC and phase-locked AFC in a single sideband mobile radio receiver. J.P. McGeehan and J.P.H. Sladen p437
- Transient probability response of cycle slip occurrence in the PSK-TDMA carrier recovery. T. Fujino, Y. Umeda and E. Yamazaki p729

RADIONAVIGATION

- Study of the relative sonar performance of incoherent and coherent processing against echo fading in shallow water. J.F. Dix and R.F. Palmer p308

RECEIVERS

- Correlation systems in radio astronomy and related fields. P.C. Egau p32
- Optimum MSK-type receivers for CPM on Gaussian and Rayleigh fading channels. A. Svensson and C.E. Sundberg p480

REVIEWS OF PROGRESS

- Radar mortar locator development in the UK: the first 30 years. J.G. Milner p233

SATELLITE LINKS AND SPACE COMMUNICATION

- 14/11 GHz, 120 Mbit/s regenerative satellite transponder. G. Ohm p442
- Advanced domestic digital satellite communications systems experiments. A. Iso, T. Izumisawa and N. Ishida p92
- Evaluation of a site diversity model for satellite communications systems. D.V. Rogers and J.E. Allnutt p501
- Performance of space-based radar in the presence of earth clutter. J.S. Bird and A.W. Bridgewater p491

SIGNAL PROCESSING

- 14/11 GHz, 120 Mbit/s regenerative satellite transponder. G. Ohm p442
- Adaptive adjustment of receiver for distorted digital signals. A.P. Clark and S.F. Hau p526
- Application of Gram-Schmidt algorithm to optimum radar signal processing. A. Farina and F.A. Studer p139
- Application of a systolic array to adaptive beamforming. C.R. Ward, A.J. Robson, P.J. Hargrave and J.G. McWhirter p638
- Application of surface-acoustic-wave technology to burst-format spread-spectrum communications. M. Kowatsch p734
- Architectural approach to alternate low-level primitive structures (ALPS) for acoustic signal processing. Y.S. Wu, A.G. Constantinides, T.E. Curtis and L.J. Wu p327
- Autocorrelation function of the multiplexed sequence. S.M. Jennings p169
- Baseband video distortion in memoryless nonlinear bandpass amplifiers (Summary). M.T. Abuelma'atti p240
- Continuous transmission FM sonar with one octave bandwidth and no blind time. P.T. Gough, A. de Roos and M.J. Cusdin p270
- Control ordered sonar hardware (COSH)—a hardware based signal processing graph implementation. T.E. Curtis, J.T. Wickenden and A.G. Constantinides p584
- Correlation systems in radio astronomy and related fields. P.C. Egau p32
- Data transmission over UHF fading mobile radio channels. A.J. Bateman and J.P. McGeehan p364 d767
- Decision tree design and applications in speech processing. G.R. Dattatreya and V.V.S. Sarma p146
- Derivation of impulse responses under minimum phase constraints. F. Takawira and D.G.W. Ingram p425
- Design and application of digital signal processors (Editorial). J.B.G. Roberts p561
- Detection probability of a partially fluctuating target. E. Dalle Mese and D. Giulì p179
- Digital implementation of a narrowband satellite receiver. C.P. Ash p570
- Error patterns in correlators with four-level quantisation. P.C. Egau p40 e239
- Error probability of QASK with rectangular and circular symbol constellations in the presence of intersymbol quadrature channel and adjacent channel interference. I. Korn p194
- Evaluation of hybrid error control systems. D. Drajić and B. Vučetić p183
- Extension of maximum entropy spectral analysis. Part 1: The inclusion of prior information. D.R. Farrier p15
- Extension of maximum entropy spectral analysis. Part 2: Interpretation and application of the method. D.R. Farrier p25
- Fast start-up channel estimation. A.P. Clark, Z.C. Zhu and J.K. Joshi p375
- Figures of merit for VLSI implementations of digital signal processing algorithms. J.S. Ward, P. Barton, J.B.G. Roberts and B.J. Stanier p64
- Generalised information theory for inverse problems in signal processing. E.R. Pike, J.G. McWhirter, M. Bertero and C.de Mol p660
- Generating analogue FM pulses using a 1 bit digital technique. J.A. Johnston p349
- Graph-theoretic approach to composite-source-model estimation for image coding. D.K. Mitrakos and A.G. Constantinides p71
- Investigation of a radar site effect. P. Lewis p695
- LSI circuits for adaptive array processing in passive sonar. G. Biennu and B. Guillee p577
- Measurement of signal to quantising-noise ratio in ADPCM systems and its implications for echo cancellation. P.J. See and N.J.A. Forse p219
- Minimum bandwidth signals with various combinations of specified waveform parameters. R. Borge p345
- Modular design of sonar systems using functional units built from a standard set of VLSI building blocks. D.W. Wadham p334
- Multinotch logic-product polarisation suppression filters. A typical design example and its performance in a rain clutter environment. A.J. Poelman and J.R.F. Guy p383
- New direct regenerator for 16-ary QAM signalling. A. Riris p407
- Nonlinear polarisation-vector translation in radar systems. A promising concept for real-time polarisation-vector signal processing via a single-notch polarisation suppression filter. A.J. Poelman and J.R.F. Guy p451
- On the computation of discrete Fourier transform using Fermat number transform. W.-C. Siu and A.G. Constantinides p7
- On the response of a towed array to the acoustic field in shallow water. M.J. Buckingham p298
- Optimised bit level systolic array for convolution. J.V. McCanny, J.G. McWhirter and K. Wood p632
- Optimum MSK-type receivers for CPM on Gaussian and Rayleigh fading channels. A. Svensson and C.E. Sundberg p480
- Performance analysis of 16-ary QAM signalling through two-link nonlinear channels in additive Gaussian noise. A.H. Aghvami p403
- Performance comparison of two suboptimum detection procedures in real environment. V. Milutinović p341
- Pseudobinary Viterbi detector. A.P. Clark and M. Clayden p208
- Rapid acquisition techniques in CDMA spread-spectrum systems. J.W. Mark and I.F. Blake p223
- Relationship between the maximum entropy method and a likelihood ratio test. D.R. Farrier p714
- Signal processing applications of a distributed array processor. J.B.G. Roberts, P. Simpson, B.C. Merrifield and J.F. Cross p603
- Signal processing with ocean and the transputer. R. Taylor p610
- Some practical considerations in the design of sandwich transducers and their arrays. R. Morris p280
- Study of the relative sonar performance of incoherent and coherent processing against echo fading in shallow water. J.F. Dix and R.F. Palmer p308
- Systolic matrix and vector multiplication methods for signal processing. R.B. Urquhart and D. Wood p623
- Two-dimensional discrete convolution algorithm. B. Arambepola p553

SIMULATION

- Analogue adaptive hybrid for digital transmission on subscriber lines. I. Korn p517

Rapid acquisition techniques in CDMA spread-spectrum systems. J.W. Mark and I.F. Blake p223
Sidescan sonar. M.L. Somers and A.R. Stubbs p243

SONICS AND ULTRASONICS

Sonar (Editorial). D. Creasey and B. Smith p241

SPACE COMMUNICATION

Performance of space-based radar in the presence of earth clutter. J.S. Bird and A.W. Bridgewater p491

SPEECH SYNTHESIS

Implementation of a parallel-formant speech synthesiser using a single-chip programmable signal processor. D.J. Quarmby and J.N. Holmes p563

SURFACE-ACOUSTIC-WAVE DEVICES (SAW)

Application of surface-acoustic-wave technology to burst-format spread-spectrum communications. M. Kowatsch p734

SWITCHES AND SWITCHING THEORY

Distributed routing algorithm for a circuit/packet switching network. W. Yu, J.C. Majithia and J.W. Wong p751

TELECOMMUNICATION

Analogue adaptive hybrid for digital transmission on subscriber lines. I. Korn p517

Future trends in telecommunications transmission—a personal view. P. Cochran p669

Performance comparison of two suboptimum detection procedures in real environment. V. Milutinović p341

Pseudobinary Viterbi detector. A.P. Clark and M. Clayden p208
Transient probability response of cycle slip occurrence in the PSK-TDMA carrier recovery. T. Fujino, Y. Umeda and E. Yamazaki p729

TELECOMMUNICATION TRAFFIC

Combined mobile telephone and dispatch services in a cellular land-mobile radio system. M. McDonnell and N.D. Georganas p357

TELEPHONY

Analogue adaptive hybrid for digital transmission on subscriber lines. I. Korn p517

TRANSDUCERS

Discussion of the finite-element modelling and performance of ring-shell projectors. B.A. Armstrong and G.W. McMahon p275

High-frequency sonar transducers: a review of current practice. B.V. Smith and B.K. Gazey p285

Ship velocity determination by Doppler and correlation techniques. P.N. Denbigh p315

TROPOSPHERIC PROPAGATION

Evaluation of a site diversity model for satellite communications systems. D.V. Rogers and J.E. Allnutt p501

VERY LARGE SCALE INTEGRATION

Figures of merit for VLSI implementations of digital signal processing algorithms. J.S. Ward, P. Barton, J.B.G. Roberts and B.J. Stanier p64

Optimised bit level systolic array for convolution. J.V. McCanny, J.G. McWhirter and K. Wood p632

Signal processing applications of a distributed array processor. J.B.G. Roberts, P. Simpson, B.C. Merrifield and J.F. Cross p603

Conference reports

IEE Colloquium on Digital television techniques. P.G. Parker p558

IEE Colloquium on Digitalisation of the TV receiver. R.N. Jackson p559

IEE Colloquium on Electronic support measures. P.M. Grant p382

IEE Colloquium on the Current status of systolic array research in the UK S.G. Smith p667

IRSI 83-International Radar Symposium India. B. Wardrop p99

Conference publications

231 International conference on secure communication systems p750

Book reviews

Digital communications satellite/earth station engineering. K. Feher p560

